



OPEN ACCESS

EDITED AND REVIEWED BY
Qingxin Mu,
BrYet US, Inc., United States

*CORRESPONDENCE
Junqiang Chen,
✉ chenjunqiang@gxmu.edu.cn

[†]These authors have contributed equally to this work and share first authorship

RECEIVED 26 August 2025
REVISED 08 September 2025
ACCEPTED 04 November 2025
PUBLISHED 14 November 2025

CITATION
Yu Z, Cao W, Han C, Wang Z, Qiu Y, Wang J, Wei M, Wang J, Zhang S, Liu S, Mo S and Chen J (2025) Correction: Biomimetic metal-organic framework nanoparticles for synergistic combining of SDT-chemotherapy induce pyroptosis in gastric cancer.
Front. Bioeng. Biotechnol. 13:1644914.
doi: 10.3389/fbioe.2025.1644914

COPYRIGHT
© 2025 Yu, Cao, Han, Wang, Qiu, Wang, Wei, Wang, Zhang, Liu, Mo and Chen. This is an open-access article distributed under the terms of the [Creative Commons Attribution License \(CC BY\)](#). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

Correction: Biomimetic metal-organic framework nanoparticles for synergistic combining of SDT-chemotherapy induce pyroptosis in gastric cancer

Zhu Yu^{1,2†}, Wenlong Cao^{1,2†}, Chuangye Han³, Zhen Wang^{1,2}, Yue Qiu^{1,2}, Jiancheng Wang^{1,2}, Mengda Wei^{1,2}, Junfu Wang^{1,2}, Siwen Zhang^{1,2}, Senfeng Liu¹, Shutian Mo² and Junqiang Chen^{1,2*}

¹Department of Gastrointestinal Surgery, The First Affiliated Hospital of Guangxi Medical University, Nanning, China, ²Guangxi Key Laboratory of Enhanced Recovery After Surgery for Gastrointestinal Cancer, Nanning, China, ³Department of Hepatobiliary Surgery, The First Affiliated Hospital of Guangxi Medical University, Nanning, China

KEYWORDS

ZIF-8, sonodynamic therapy, chemotherapy, gastric cancer, pyroptosis

A Correction on

Biomimetic metal-organic framework nanoparticles for synergistic combining of SDT-chemotherapy induce pyroptosis in gastric cancer

by Yu Z, Cao W, Han C, Wang Z, Qiu Y, Wang J, Wei M, Wang J, Zhang S, Liu S, Mo S and Chen J (2022). *Front. Bioeng. Biotechnol.* 10:796820. doi: 10.3389/fbioe.2022.796820

There was a mistake in [Figure 5](#) as published. [Figure 5G](#), the statistical chart of [Figure 5C](#), was inadvertently misplaced during the final formatting process. The corrected [Figure 5](#) appears below.

The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.




FIGURE 5
In vitro ROS/hypoxia assay and IF. ROS production was detected by fluorescence of DCFH-DA in AGS cells **(A)** (100x). Intracellular hypoxia imaging using Image-iT™ Green Hypoxia Reagent as the syndicator **(B)** (200x). Immunofluorescence images of AGS stained by HIF-1α **(C)** (200x). Gel images of HIF-1α in AGS cells treated with ZTC@M + US **(D)**. Quantification of intracellular fluorescence intensity in **A** **(E)**, **B** **(F)**, and **C** **(G)**. The bar chart indicates the relative density of HIF-1α to GAPDH in **D** **(H)**. *p < 0.05, **p < 0.0001.