



OPEN ACCESS

EDITED AND REVIEWED BY
Federico Pio Fabrizio,
Kore University of Enna, Italy

*CORRESPONDENCE

Liying Zheng,
✉ 51218650@qq.com
Biao Qian,
✉ qb2003_2000@163.com

RECEIVED 13 August 2025

ACCEPTED 04 September 2025

PUBLISHED 10 September 2025

CITATION

Gan L, Luo P, Zou J, Li W, Chen Q, Cheng L, Zhang F, Zhong H, Lu Y, Zheng L and Qian B (2025) Correction: Crosstalk between hypoxia-inducible factor (HIF) and lncRNAs in digestive tumors: from molecular mechanisms to clinical translation. *Front. Cell Dev. Biol.* 13:1684892. doi: 10.3389/fcell.2025.1684892

COPYRIGHT

© 2025 Gan, Luo, Zou, Li, Chen, Cheng, Zhang, Zhong, Lu, Zheng and Qian. This is an open-access article distributed under the terms of the [Creative Commons Attribution License \(CC BY\)](https://creativecommons.org/licenses/by/4.0/). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

Correction: Crosstalk between hypoxia-inducible factor (HIF) and lncRNAs in digestive tumors: from molecular mechanisms to clinical translation

Lifeng Gan^{1,2,3}, Peiyue Luo^{1,2,3}, Junrong Zou^{2,3}, Wei Li^{1,2,3}, Qi Chen^{1,2,3}, Le Cheng^{1,2,3}, Fangtao Zhang^{1,2,3}, Haidong Zhong^{1,2,3}, Yiran Lu¹, Liying Zheng^{4*} and Biao Qian^{2,3*}

¹The First Clinical College, Gannan Medical University, Ganzhou, Jiangxi, China, ²Department of Urology, The First Affiliated hospital of Gannan Medical University, Ganzhou, Jiangxi, China,

³Department of Urology and Andrology, The Key Laboratory of the First Clinical Medical College of Gannan Medical University, Ganzhou, Jiangxi, China, ⁴Department of Graduate, The First Affiliated Hospital of Gannan Medical University, Ganzhou, Jiangxi, China

KEYWORDS

hypoxia, HIF, lncRNA, digestive system tumors, liver cancer, colorectal cancer, gastric cancer, pancreatic cancer

A Correction on

Crosstalk between hypoxia-inducible factor (HIF) and lncRNAs in digestive tumors: from molecular mechanisms to clinical translation

by Gan L, Luo P, Zou J, Li W, Chen Q, Cheng L, Zhang F, Zhong H, Lu Y, Zheng L and Qian B (2025). *Front. Cell Dev. Biol.* 13:1611889. doi: 10.3389/fcell.2025.1611889

There was a mistake in [Figure 1](#) as published. The oxygen concentration labels for “Normoxia” and “Hypoxia” were inadvertently swapped. The original figure incorrectly labeled: Normoxia as “0.1%–1%” and Hypoxia as “21%”. The corrected [Figure 1](#) appears below.

The original article has been updated.

Generative AI statement

Any alternative text (alt text) provided alongside figures in this article has been generated by Frontiers with the support of artificial intelligence and reasonable efforts have been made to ensure accuracy, including review by the authors wherever possible. If you identify any issues, please contact us.

Publisher’s note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

HIF Signaling Pathway




FIGURE 1

HIF-1 α responds to gene transcription under hypoxic activation. VHL: Von Hippel-Lindau; HRE: hypoxia response element; PHD: Prolyl hydroxylase; FIH: Factor-inhibiting HIF.