



OPEN ACCESS

APPROVED BY
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*CORRESPONDENCE

Jing Yuan

✉ yuanjing6216@163.com

Guanhua Xue

✉ xgh618@163.com

Lijuan Ma

✉ malijuan@shouer.com.cn

†These authors have contributed equally to this work

RECEIVED 18 November 2025

REVISED 20 November 2025

ACCEPTED 20 November 2025

PUBLISHED 08 December 2025

CITATION

Zhou L, Xia Y, Feng Y, Du B, Huang X, Xu W, Li J, Fang F, Meng C, Yu L, Ma L, Xue G and Yuan J (2025) Correction: Rapid detection of *Hemophilus influenzae* and *Streptococcus pneumoniae* simultaneously using a duplex recombinase-aided amplification assay directly from invasive clinical samples. *Front. Cell. Infect. Microbiol.* 15:1749183. doi: 10.3389/fcimb.2025.1749183

COPYRIGHT

© 2025 Zhou, Xia, Feng, Du, Huang, Xu, Li, Fang, Meng, Yu, Ma, Xue and Yuan. This is an open-access article distributed under the terms of the [Creative Commons Attribution License \(CC BY\)](#). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

Correction: Rapid detection of *Hemophilus influenzae* and *Streptococcus pneumoniae* simultaneously using a duplex recombinase-aided amplification assay directly from invasive clinical samples

Lin Zhou[†], Yuyan Xia[†], Yanling Feng[†], Bing Du, Xianyi Huang, Wenjian Xu, Jing Li, Fang Fang, Chun Meng, Li Yu, Lijuan Ma*, Guanhua Xue* and Jing Yuan*

Capital Center for Children's Health, Capital Medical University, Capital Institute of Pediatrics, Beijing, China

KEYWORDS

recombinase aided amplification (RAA), *Streptococcus pneumoniae*, community-acquired pneumonia (CAP), pediatric infections, point-of-care testing

A Correction on

Rapid detection of *Hemophilus influenzae* and *Streptococcus pneumoniae* simultaneously using a duplex recombinase-aided amplification assay directly from invasive clinical samples

By Zhou L, Xia Y, Feng Y, Du B, Huang X, Xu W, Li J, Fang F, Meng C, Yu L, Ma L, Xue G and Yuan J (2025) *Front. Cell. Infect. Microbiol.* 15:1631633. doi: 10.3389/fcimb.2025.1631633

Author “Wenjian Xu” was erroneously assigned as equal contributing author. The original version of this article has been updated.

Author “Lin Zhou” was erroneously omitted as equal contributing author.

The original version of this article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.