frontiers | Frontiers in Endocrinology

TYPE Correction
PUBLISHED 17 December 2025
DOI 10.3389/fendo.2025.1762804

OPEN ACCESS

APPROVED BY
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*CORRESPONDENCE
Kaiyu Nie
1147900529@qq.com
Chengliang Deng
cheliadeng@sina.com
Zairong Wei
zairongwei@163.com

†These authors have contributed equally to this work and share first authorship

RECEIVED 08 December 2025
REVISED 08 December 2025
ACCEPTED 09 December 2025
PUBLISHED 17 December 2025

CITATION
Jian Y, Li L, Chen W, An W, Guan R, Zhang Y, Wei J, Chang S, Zhou J, Nie K, Deng C and Wei Z (2025) Correction: Comparative analysis of the therapeutic effect of antibiotic bone cement on Wagner grade 3 or 4 diabetic foot ulcer in heel and non-heel areas: a retrospective cohort study. *Front. Endocrinol.* 16:1762804.
doi: 10.3389/fendo.2025.1762804

Correction: Comparative analysis of the therapeutic effect of antibiotic bone cement on Wagner grade 3 or 4 diabetic foot ulcer in heel and non-heel areas: a retrospective cohort study

Yang Jian[1†], Li Li[1†], Wei Chen[1†], Wenyu An[1], Runxue Guan[1], Yanji Zhang[1], Jiarui Wei[1], Shusen Chang[1], Jian Zhou[1], Kaiyu Nie[1,2*], Chengliang Deng[1,2*] and Zairong Wei[1,2,3,4*]

[1]Department of Burns and Plastic Surgery, Affiliated Hospital of Zunyi Medical University, Zunyi, Guizhou, China, [2]The 2011 Collaborative Innovation Center of Tissue Damage Repair and Regeneration Medicine, Affiliated Hospital of Zunyi Medical University, Zunyi, Guizhou, China, [3]The Collaborative Innovation Center of Tissue Damage Repair and Regeneration Medicine, Zunyi Medical University, Zunyi, Guizhou, China, [4]Guizhou Biofabrication Laboratory, Affiliated Hospital of Zunyi Medical University, Zunyi, Guizhou, China

KEYWORDS

diabetic foot ulcer, antibiotic bone cement, major amputation, free flap, tibial transverse transport

A Correction on

Comparative analysis of the therapeutic effect of antibiotic bone cement on Wagner grade 3 or 4 diabetic foot ulcer in heel and non-heel areas: a retrospective cohort study

By Jian Y, Li L, Chen W, An W, Guan R, Zhang Y, Wei J, Chang S, Zhou J, Nie K, Deng C and Wei Z (2025) *Front. Endocrinol.* 16:1662731. doi: 10.3389/fendo.2025.1662731

There was a mistake in **Figure 1** as published. The number of patients in the Non-heel group was incorrectly stated as "52". The correct number is "42". The corrected **Figure 1** appears below.

The original version of this article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.



FIGURE 1
Schematic flow diagram of the study. DFU, diabetic foot ulcer; NPWT, negative pressure wound therapy.