frontiers | Frontiers in Environmental Science

TYPE Correction
PUBLISHED 09 January 2026
DOI 10.3389/fenvs.2025.1756277

OPEN ACCESS

EDITED AND REVIEWED BY
Yuncong Li,
University of Florida, United States

*CORRESPONDENCE
Livia V. C. Charamba,
livia.charamba@tu-dresden.de

RECEIVED 28 November 2025
ACCEPTED 11 December 2025
PUBLISHED 09 January 2026

CITATION
Charamba LVC, Houska T, Kaiser K, Knorr K-H, Krause T, Chen H, Krám P, Hruška J, Müller I and Kalbitz K (2026) Correction: The deeper, the more distinct: dissolved organic matter composition differs between soil types and diverges with depths.
Front. Environ. Sci. 13:1756277.
doi: 10.3389/fenvs.2025.1756277

Correction: The deeper, the more distinct: dissolved organic matter composition differs between soil types and diverges with depths

Livia V. C. Charamba[1]*, Tobias Houska[1,2], Klaus Kaiser[3], Klaus-Holger Knorr[4], Tobias Krause[1], Huan Chen[5], Pavel Krám[6,7], Jakub Hruška[6,7], Ingo Müller[8] and Karsten Kalbitz[1]

[1]Department of Forest Sciences, Institute of Soil Science and Site Ecology, TUD Dresden University of Technology, Tharandt, Germany, [2]Department of Landscape Ecology and Resource Management, Justus Liebig University, Gießen, Germany, [3]Soil Science and Soil Protection, Martin Luther University Halle-Wittenberg, Halle (Saale), Germany, [4]Institute for Landscape Ecology, Ecohydrology and Biogeochemistry Group, University of Münster, Münster, Germany, [5]Department of Environmental Engineering and Earth Science, Clemson University, Clemson, SC, United States, [6]Czech Geological Survey, Prague, Czechia, [7]Global Change Research Institute of the Czech Academy of Sciences, Brno, Czechia, [8]Saxon State Office for Environment, Agriculture and Geology, Freiberg, Germany

KEYWORDS

dissolved organic matter, cross-site similarities, horizontal variability, pyrolysis-gas chromatography/mass spectrometry, fluorescence spectroscopy, uniform DOM composition

A Correction on
The deeper, the more distinct: dissolved organic matter composition differs between soil types and diverges with depths

by Charamba LVC, Houska T, Kaiser K, Knorr K-H, Krause T, Chen H, Krám P, Hruška J, Müller I and Kalbitz K (2025). Front. Environ. Sci. 13:1675720. doi: 10.3389/fenvs.2025.1675720

There was a mistake in the graphical abstract as published. The labels Cambisol and Podzol were reversed in the figure. The corrected graphical abstract appears below.

The original article has been updated.

Generative AI statement

Any alternative text (alt text) provided alongside figures in this article has been generated by Frontiers with the support of artificial intelligence and reasonable efforts have been made to ensure accuracy, including review by the authors wherever possible. If you identify any issues, please contact us.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

10.3389/fenvs.2025.1756277



GRAPHICAL ABSTRACT