



OPEN ACCESS

APPROVED BY
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*CORRESPONDENCE
Ming-Feng Han
✉ fyhmf@163.com
Xiao-Bao Teng
✉ ahbbw1990@163.com

†These authors have contributed equally to
this work and share first authorship

RECEIVED 04 July 2025
ACCEPTED 08 July 2025
PUBLISHED 18 July 2025

CITATION
Shen Y, Cao X-Y, Shi J-F, Cao Z-X, Teng X-B
and Han M-F (2025) Correction: Multimodal
diagnostic approach for identifying
Actinomyces odontolyticus pneumonia: a
case report and literature review.
Front. Med. 12:1659435.
doi: 10.3389/fmed.2025.1659435

COPYRIGHT
© 2025 Shen, Cao, Shi, Cao, Teng and Han.
This is an open-access article distributed
under the terms of the [Creative Commons
Attribution License \(CC BY\)](#). The use,
distribution or reproduction in other forums is
permitted, provided the original author(s) and
the copyright owner(s) are credited and that
the original publication in this journal is cited,
in accordance with accepted academic
practice. No use, distribution or reproduction
is permitted which does not comply with
these terms.

Correction: Multimodal diagnostic approach for identifying *Actinomyces odontolyticus* pneumonia: a case report and literature review

Ya Shen[†], Xiao-Yu Cao[†], Jing-Feng Shi[†], Zi-Xiao Cao,
Xiao-Bao Teng* and Ming-Feng Han*

Department of Respiratory and Critical Care Medicine, Fuyang Infectious Disease Clinical College of
Anhui Medical University, Fuyang, Anhui, China

KEYWORDS

Actinomyces odontolyticus, pneumonia, next-generation sequencing, pathology, case
report

A Correction on

[Multimodal diagnostic approach for identifying *Actinomyces
odontolyticus* pneumonia: a case report and literature review](#)

by Shen, Y., Cao, X.-Y., Shi, J.-F., Cao, Z.-X., Teng, X.-B., and Han, M.-F. (2025). *Front. Med.*
12:1607223. doi: 10.3389/fmed.2025.1607223

Authors Ya Shen, Xiao-Yu Cao, and Jing-Feng Shi were erroneously omitted as equal
contributing first authors.

The original version of this article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily
represent those of their affiliated organizations, or those of the publisher, the editors and
the reviewers. Any product that may be evaluated in this article, or claim that may be made
by its manufacturer, is not guaranteed or endorsed by the publisher.