frontiers | Frontiers in Microbiology

TYPE Correction
PUBLISHED 22 January 2026
DOI 10.3389/fmicb.2025.1746506

OPEN ACCESS

EDITED AND REVIEWED BY
Wen-Chao Liu,
Guangdong Ocean University, China

*CORRESPONDENCE
Hongnan Liu
✉ liuhn@isa.ac.cn
Xiangfeng Kong
✉ nnkxf@isa.ac.cn

†These authors have contributed equally to this work

RECEIVED 14 November 2025
REVISED 27 November 2025
ACCEPTED 08 December 2025
PUBLISHED 22 January 2026

CITATION
Bai M, Liu H, Zhang Y, Wang S, Shao Y, Xiong X, Hu X, Yu R, Lan W, Cui Y and Kong X (2026) Correction: Peppermint extract improves egg production and quality, increases antioxidant capacity, and alters cecal microbiota in late-phase laying hens. *Front. Microbiol.* 16:1746506. doi: 10.3389/fmicb.2025.1746506

Correction: Peppermint extract improves egg production and quality, increases antioxidant capacity, and alters cecal microbiota in late-phase laying hens

Miaomiao Bai[1†], Hongnan Liu[1*†], Yihui Zhang[1], Shanshan Wang[1], Yirui Shao[1], Xia Xiong[1], Xin Hu[2], Rongyao Yu[2], Wei Lan[2], Yadong Cui[2] and Xiangfeng Kong[1,2*]

[1]Hunan Provincial Key Laboratory of Animal Nutritional Physiology and Metabolic Process; National Engineering Laboratory for Pollution Control and Waste Utilization in Livestock and Poultry Production; Key Laboratory of Agro-ecological Processes in Subtropical Region; Hunan Provincial Engineering Research Center for Healthy Livestock and Poultry Production; Scientific Observing and Experimental Station of Animal Nutrition and Feed Science in South-Central, Ministry of Agriculture, Institute of Subtropical Agriculture, Chinese Academy of Sciences, Changsha, Hunan, China, [2]College of Biology and Food Engineering, Fuyang Normal University, Fuyang, China

KEYWORDS

laying hens, peppermint extract, egg production and quality, antioxidant capacity, cecal microbiota

A Correction on

Peppermint extract improves egg production and quality, increases antioxidant capacity, and alters cecal microbiota in late-phase laying hens

by Bai, M., Liu, H., Zhang, Y., Wang, S., Shao, Y., Xiong, X., Hu, X., Yu, R., Lan, W., Cui, Y., and Kong, X. (2023). *Front. Microbiol.* 14:1252785. doi: 10.3389/fmicb.2023.1252785

There was a mistake in Figure 2 as published. The image of g-unclassified_F082 was erroneously duplicated with the image of g-Megamonas. The corrected Figure 2 appears below.

The original version of this article has been updated.

Generative AI statement

Any alternative text (alt text) provided alongside figures in this article has been generated by Frontiers with the support of artificial intelligence and reasonable efforts have been made to ensure accuracy, including review by the authors wherever possible. If you identify any issues, please contact us.

Publisher's note

10.3389/fmicb.2025.1746506



FIGURE 2
Significantly different cecal microbiota at phylum and genus levels after dietary supplementation with peppermint extract (PE). CON, control group, basal diet; LPE, the control diet + 0.1% PE; MPE, the control diet + 0.2% PE; HPE, the control diet + 0.4% PE. Data are expressed as means ± SEM (n = 8). Means within a row with different superscripts are significantly different ($P < 0.05$).