

OPEN ACCESS

EDITED AND REVIEWED BY Faraz Rashid, University of Michigan, United States

*CORRESPONDENCE Hyo Youl Moon ☑ skyman19@snu.ac.kr Kangeun Ko ☑ keko23@snu.ac.kr

[†]These authors have contributed equally to

RECEIVED 31 October 2025 REVISED 31 October 2025 ACCEPTED 10 November 2025 PUBLISHED 24 November 2025

CITATION

Kim TY, Park JY, Cho YS, Youn DH, Han SW, Jung H, Cho Y-J, Jeong Ic, Jeon JP, Ko K and Moon HY (2025) Correction: Identification of stroke biomarkers using proteomic profiling of extracellular vesicles derived from human blood: a preliminary study. *Front. Neurol.* 16:1736367. doi: 10.3389/fneur.2025.1736367

COPYRIGHT

© 2025 Kim, Park, Cho, Youn, Han, Jung, Cho, Jeong, Jeon, Ko and Moon. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

Correction: Identification of stroke biomarkers using proteomic profiling of extracellular vesicles derived from human blood: a preliminary study

Tae Yeon Kim^{1†}, Jae Yeon Park^{1†}, Yun Seo Cho¹, Dong Hyuk Youn², Sung Woo Han², Harry Jung², Yong-Jun Cho³, In cheol Jeong⁴, Jin Pyeong Jeon³, Kangeun Ko^{1*} and Hyo Youl Moon^{1,5,6*}

¹Department of Physical Education, Seoul National University, Seoul, Republic of Korea, ²Institute of New Frontier Research, Hallym University College of Medicine, Chuncheon, Republic of Korea, ³Department of Neurosurgery, Hallym University College of Medicine, Chuncheon, Republic of Korea, ⁴Department of Artificial Intelligence Convergence, Hallym University, Chuncheon, Republic of Korea, ⁵Institute of Aging, Seoul National University, Seoul, Republic of Korea, ⁶Learning Sciences Research Institute, Seoul National University, Seoul, Republic of Korea

KEYWORDS

hemorrhagic stroke, ischemic stroke, extracellular vesicles, biomarker, proteomics

A Correction on

Identification of stroke biomarkers using proteomic profiling of extracellular vesicles derived from human blood: a preliminary study

by Kim, T. Y., Park, J. Y., Cho, Y. S., Youn, D. H., Han, S. W., Jung, H., Cho, Y.-J., Jeong. I. c., Jeon, J. P., Ko, K., and Moon, H. Y. (2025). *Front. Neurol*. 16:1587389. doi: 10.3389/fneur.2025.1587389

In the published article, an error appeared in the abstract. The sentence stated:

Among these, 14 proteins were commonly upregulated and 1 protein was commonly downregulated in both stroke types, whereas the remaining proteins exhibited stroke-type-specific expression patterns.

This has been corrected to read:

Among these, four proteins were commonly upregulated and one protein was commonly downregulated in both stroke types, whereas the remaining proteins exhibited stroke-type-specific expression patterns.

A correction is also required to the section **Discussion**, Paragraph 3:

Furthermore, CRP has been detected at high levels around hemorrhagic lesions and in neurons and glial cells of patients who died within 12 h of hemorrhage ("C-Reactive Protein in Intracerebral Hemorrhage Time Course, Tissue Localization, and Prognosis Supplemental Data at www.Neurology.Org" 2012) (29).

The updated sentence appears below:

Furthermore, CRP has been detected at high levels around hemorrhagic lesions and in neurons and glial cells of patients who died within 12 h of hemorrhage (29).

The original version of this article has been updated.

Kim et al. 10.3389/fneur.2025.1736367

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated

organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.